SAFETY DATA SHEET

Spotless™ Al-D-Ox

SECTION 1: IDENTIFICATION

Product identifier used on a label:	**Spotless™ Al-D-Ox**
Product code:	5173
Recommended use of the chemical and restrictions on use:	De-oxidizer for aluminum metal.
Chemical family:	Mixture.
Name, address and phone # of supplier:	Aqua Bond Inc. PO Box 63635 Toronto, ON, M1V 5K2 (416) 754-7211
24 Hr. Emergency phone #	**CANUTEC (613) 996-6666**

SECTION 2: HAZARDS IDENTIFICATION

Classification of the chemical: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:
CORROSIVE TO METALS- CATEGORY 1
OXIDIZING SOLID - CATEGORY 3
ACUTE TOXICITY- CATEGORY 4
SKIN CORROSION/ IRRITATION - CATEGORY 2
SERIOUS EYE DAMAGE- CATEGORY 1
GERM CELL MUTAGENICITY- CATEGORY 2
STOT-SE- CATEGORY 2 (blood)

Label elements:



Signal word: DANGER

Hazard statements:
H272 May intensify fire; oxidizer
H290 May be corrosive to metals
H302 Harmful if swallowed
H315 Causes skin irritation
H318 Causes serious eye damage
H371 May cause damage to organs
H341 Suspected of causing genetic defects

Precautionary statements:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat.
P220 Keep away from clothing/combustible materials.
P221 Take any precautions to avoid mixing with combustibles.
P234 Keep only in original container.

P280 Wear protective gloves/eye protection/ face protection.
P264 Wash hands thoroughly after handling.
P260 Do not breathe dust.
P272 Contaminated work clothing should not be allowed out of the workplace.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P270 Do not eat, drink or smoke when using this product.
P390 Absorb spillage to prevent material damage.
P370+P378 In case of fire: Use extinguisher suitable for surrounding fire.
P302+P352 IF ON SKIN: Wash with plenty of water.
P352+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical attention.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical attention.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner.
P501 Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other hazards: THIS PRODUCT CONTAINS A FLUORIDE COMPOUND. SYMPTOMS MAY BE DELAYED. AVOID EXPOSURE. SEEK MEDICAL ATTENTION IMMEDIATELY IF EXPOSURE IS SUSPECTED.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/ mixture: Mixture

Ingredient name	**CAS Number**	**Concentration (%)**
Ferric sulphate	10028-22-5	40-50
Sodium bifluoride	1333-83-1	1-5
Nitre cake	7681-38-1	40-50
Sodium saltpeter	7631-99-4	5-10

Concentrations are shown as ranges due to batch variation.

SECTION 4: FIRST-AID MEASURES

Description of first aid measures:

Ingestion Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing. Follow company first aid procedures for fluoride exposure which

	may include having victim drink a 10% calcium gluconate solution with 8 to 10 oz. of water for dilution of material in stomach.
Inhalation	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that dusts are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.
Skin contact	Get medical attention immediately. Call a poison center or physician. Rinse immediately contaminated clothing and skin with plenty of water. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	Get medical attention immediately. Call a poison center or physician. Check for and remove any contact lenses. Immediately flush eyes with running water for at least 30 minutes, keeping eyelids open. Chemical burns must be treated promptly by a physician. Washing eyes within several seconds of exposure is essential to minimize damage.

Most important symptoms and effects, both acute and delayed:
Causes serious eye damage. Adverse symptoms include pain, watering, redness. Causes severe burns. May cause allergic skin reaction. Symptoms include pain, irritation, redness, blistering. Fatal if inhaled. May cause asthma symptoms, breathing difficulties, wheezing. Harmful if swallowed. Corrosive to digestive tract and causes burns to tissue.
Indication of any immediate medical attention and special treatment needed:
Fluoride Compounds: SYMPTOMS MAY BE DELAYED: Clinical signs and symptoms may not appear for up to 24 hours. Concentrations as low as 2% may cause symptoms with prolonged skin contact. When exposure is suspected, immediate medical attention is critical to minimize damage May be fatal if absorbed through the skin, inhaled or ingested. Immediately contact emergency response personnel. Get medical attention immediately. In addition to the basic first aid procedures outlined below, it is highly recommended that emergency procedures be established by your company's physician, to be used in case of fluorine poisoning. This procedure may include the administration by qualified personnel of antidotes such as Aqueous Hyamine, Zephiran Chloride, or Calcium Gluconate Solutions for treating affected skin, as well as use of Pontocaine Hydrochloride Solution for eye application.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable	Use an extinguishing agent suitable for the surrounding fire.

Unsuitable	None known.
Special hazards arising from the substance:	Oxidizing material. May intensify fire.
Hazardous thermal decomposition products:	Oxides of nitrogen, sulphur trioxide.
Special protective actions for fire-fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Environmental precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up:	Small spill: Stop leak if without risk. Move containers from spill area. Use broom to sweep up spilled material. Dispose of via a licensed waste disposal contractor. Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Collect spillage with a broom and place in a proper container. Dispose of via a licensed waste disposal contractor.
Special spill response procedures:	In case of transportation accident, contact CHEMTREC at 1-800-424-9300.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:	Put on appropriate personal protective equipment. Avoid exposure -obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe dusts. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for safe storage:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials, food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be resealed and kept upright. Do not store in unlabeled containers.
Incompatible materials:	Oxidizing agents, alkaline materials, moisture.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

Exposure limits

Ingredient	**Exposure limits**
Iron salts	**NIOSH REL** TWA 1 mg/m^3
Sodium saltpeter	**ACGIH** not listed. **OSHA** not listed.
Engineering controls:	Use with adequate ventilation to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection measures:	Eyes/face: Chemical splash goggles and face shield. Skin: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Respiratory: Wear appropriate respirator when ventilation is inadequate. Be sure to use a NIOSH approved respirator or equivalent.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Yellow spherical beads.
Odor:	Pungent.
Odor threshold:	Not available.
pH:	Not applicable.
Melting point:	Not available.
Freezing point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash point:	Not applicable.
Evaporation rate:	Not available.
Flammability:	Not flammable.
Upper and lower flammability limits:	Not applicable.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	Not available.

Solubility:	Soluble.
Partition coefficient n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability:	Stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid:	When exposed to combustible material, a fire may occur. Moisture.
Incompatible materials:	Oxidizing agents, alkaline materials.
Hazardous decomposition products:	Will not decompose under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure:	SKIN AND EYES: yes INHALATION: yes INGESTION: yes
Potential health effects (acute):	EYE: Causes eye irritation. Adverse symptoms may include pain, watering, redness. INHALATION: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Fluoride compounds are extremely destructive to tissue of the mucous membranes and upper respiratory tract. Symptoms include: burning sensation, coughing, wheezing and breathing difficulties, shortness of breath, headache, nausea or vomiting, pulmonary edema. SKIN: Causes skin irritation. May cause allergic reaction. Fluoride compounds are highly corrosive and readily penetrates the skin causing destruction of deep tissue layers, including bone. Pain may be delayed for up to 24 hours following exposure to concentrations of 1-50% and is often not reported until tissue damage is extreme. Without immediate medical attention, tissue destruction may continue for days and result in limb loss or death. The extent of burns depends on the concentration, temperature and duration of contact with the acid. INGESTION: Harmful if swallowed. Corrosive to the digestive tract. Causes burns. Can cause necrotic lesions, hemmhoragic gastritis,pancreatitis.
Delayed and immediate effects, chronic effects from short and long term	Clinical signs and symptoms may not appear for up to 24 hours. Concentrations as low as 2% may cause symptoms with prolonged skin contact. When exposure is suspected, immediate medical attention is

exposure:	critical to minimize damage. Systemic fluoride toxicity can cause hypocalcemia, hypomagnesemia, hyperkalemia, pulmonary edema, metabolic acidosis, ventricular arrythmias and possible death.
Potential chronic health effects:	If sensitization occurs, a severe allergic reaction may occur even at very low levels.
Carcinogenicity:	None of the ingredients are listed as suspected carcinogens.
Mutagenicity:	Suspected of causing genetic defects.

Product	**Test**	**Experiment**	**Result**
Sodium nitrate	-	In vitro, mammalian	Equivocal

Teratogenicity:	No known significant effects or critical hazards.
Developmental effects:	No known significant effects or critical hazards.
Fertility effects:	No known significant effects or critical hazards.
Sensitization:	There are no data available on the mixture itself.
Toxicological effects:	
Acute toxicity:	

Product	**Result**	**Species**	**Dose**	**Exposure**
Ferric sulfate	LD50 oral	Rat	500 mg/kg	-
Sodium bifluoride	LD50 oral	Rat	160mg/kg	-
Sodium bisulphate	LD50 oral	Rat	2800 mg/kg	-
Sodium nitrate	LD50 oral	Rat	1267 mg/kg	-

Acute toxicity estimate:

Route	**ATE value**
Oral	763 mg/kg

Aspiration hazard: Not available.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Name	**Result**	**Species**	**Exposure**
Sodium nitrate	Acute LC50 323 mg/L Fresh water	Crustaceans-Hyalella azteca-adult	48 hours

Persistence and degradability	Not available.
Bioaccumulative potential	Not available.
Mobility in soil:	Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must

be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

	TDG
UN Number:	UN3084
UN proper shipping name:	Corrosive solid, oxidizing, N.O.S. (Ferric sulphate, sodium nitrate)
Transport hazard class:	8 (5.1)
Packing group:	II
Environmental hazard:	No.
Special precautions for user:	**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: REGULATORY INFORMATION

Canada inventory (DSL): All components are listed

SECTION 16: OTHER INFORMATION

Revision date: May 5, 2017
Revision number: 1
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

Disclaimer

While the information and recommendations set forth are believed to be accurate as of data hereof, Aqua Bond Inc., makes no warranty with respect thereto and disclaims all liability from reliance thereon.